CLASSIFICATION ___RESTRICTED

ENTRAL INTELLIGENCE FOREIGN DOCUMENTS OR RADIO BROADCASTS

FOR OFFICIAL USE ONLY

STAT

COUNTRY

SUBJECT

Scientific research

HOW

PUBLISHED

Periodicals

WHERE **PUBLISHED**

UBSR

DATE **PUBLISHED**

LANGUAGE

1947 Russian

for official use only

my live

CD NO.

REPORT

DATE OF INFORMATION

1945 - 1947

DATE DIST. 21 January 1949

NO. OF PAGES

SUPPLEMENT TO REPORT NO.

THIS IS UNEVALUATED INFORMATION

SOURCE

Dosumentary as indicated. (Information requested.)

RECEPTLY PUBLISHED RESEARCH OF THE VORONIZE STATE UNIVERSITY

"Study of the Melting-Point Diagram in the System KDRS-KHO2," N. A. Palkina, Voronezh State I

"Zhur Obshoh Khimii" Vol 15, 1945, pp 911-14

Diagrams of state were established for the KCRS-EAST aystem. It was found that a compound RUNS-KNO2 system. It was found that a compound RUNS-KNO2 with a moncongruent melting point exists. A suffection point was found at 120° and 56% KUNS and a transition point at 128° and 56% KUNS. On heating to 400° the compounds explode and the mature of the explosionss indicates the fragmentation power of experimental mixtures of KUMS-IRO2.

"Beron Fluoride as a Catalyst in Organic Chemistry: IV. Condensation of Phenol with Pseudobutylene, "S. V. Zavgerodniy, Voronezh State U

"Zhur Obshch Khimii" Vol 16, 1946, pp 1495-1504

Phos. BF3.Et20, and 2-butene were discharged into a malt-ice cooled autoclave and the mixture was agitated at the desired temperature, (fter which an extraction with 10% ROH, followed by the usual treatment, gave the phenolic products; the neutral products were secured by extraction of the alkaline solution by Et20 or petroleum ether.

- 1 -

CLASSIFICATION --RESTRIPTED STATE HSRB

FOR OFFICIAL USE ONLY



STAT

"Tartrate Aluminum Compounds,""A. V. Pavlinova, Voronezh State U

"Thar Obshok Hhimii" Fol 17, 1947, pp 5-10

The K compound was prepared by dissolving 100 g KA1 (80_h)₂-12H₂0 in 80 ml warm water, adding 40 g K₂C₁H₂O₆-2H₂O and about 27 g KOH until the solution was elightly alkaline to phosolphthalein at boiling, and adding gradually, water to dissolve the precipitate forming on addition of the KOH. The solution was evaporated until a crystal film appeared, cooled, decanted from the K₂SO_h crystals, and precipitated with an equal volume of alsohol. Pull details and chemical formula given.

- E H D -

REMARKS 3